


GLORY

GNH/GND-700 series

Banknote counter

When it comes to verification of strapped banknotes the GNH/GND-700 series provides complete confidence with fast and accurate performance. Using dynamic vacuum-based counting technology, the GNH/GND-700 series offers variable counting speeds and easily adjustable count positions.



With selectable counting speeds of 1,000/1,500/2,000/2,400 pcs/min, at the highest speed selection, a 60% productivity increase is achieved over conventional models (1,500 pcs/min.)

Accuracy, the key to strapped banknote verification

GNH/GND-700 series are next generation vacuum-based banknote counters. With features such as variable counting speeds, easily adjustable count positions and a dust-proof, anti-noise shutter, the GNH/GND-700 Series offers fast and efficient verification of strapped banknotes.

Variable counting speed

With selectable counting speeds of 1000/1500/2000/2400 pcs/min, at the highest speed selection, a 60% productivity increase is achieved over conventional models (1500 pcs/min.). At the lowest speed selection, the GNH/GND-700 Series is 33% slower than conventional models, making it ideal for counting poor quality banknotes.

Easily adjustable counting positions

An adjustment knob locates the best counting position, and minimises miscounting of banknotes with pinholes or folded-corners.

Dust-proof and anti-noise shutter

The GNH-700 and GND-700 are equipped with dust-proof and anti-noise shutters, which open and close automatically on the start and stop of each counting operation.

Simple and viewable operation panel

The LED display on the compactly designed operation panel, ensures clear and easy viewing, indicating the number of counted banknotes with 4 digits, and batch numbers with 3 digits simultaneously.

	GNH-700	GNH-710	GND-700	GND-710
Shutter	✓	–	✓	–
Dimensions (W × D × H)	350 × 310 × 965 mm (13.7 × 12.2 × 37.9")		350 × 420 × 320 mm (13.7 × 16.5 × 12.5")	
Weight (approx.)	30 kg	29 kg	22 kg	21 kg
Countable banknote size	Length: 90 – 185 mm (3.5 – 7.2") Width: 60 – 97 mm (2.3 – 3.8") Thickness: 0.06 – 0.10 mm (0.002 – 0.003")			
Counting speed	1000, 1500, 2000, 2400 pcs/min.			
Holder capacity	Approx. 150 notes			
Power supply	220 – 240V ± 10% 50/60 Hz 100 – 120V ± 10% 50/60 Hz			

*Specifications are subject to change without notice. Please read the instruction manual carefully to ensure correct equipment usage. All figures, capacities and speeds quoted in this brochure are as tested by GLORY LTD. They may vary depending on usage conditions and are not guaranteed.

Related solutions...

GFS-100 SERIES

Delivering low reject rates and ensuring right-first time banknote counting decisions are made.



DE-100

A secure counting, authentication and storage solution for banknote deposits.



MACH™ 3

A versatile and compact solution, the Mach 3 will simplify coin processing for any business.



Glory, Infinity View, 1 Hazelwood, Lime Tree Way, Chineham, Basingstoke, Hampshire RG24 8WZ, UK

+44 (0)1256 368000 info@uk.glory-global.com glory-global.com

DS-GNHGND700-0417_2.0

Glory Global Solutions is part of GLORY LTD. This document is for general guidance only. As the Company's products and services are continually being developed it is important for customers to check that the information contained herein includes the latest particulars. Although every precaution has been taken in preparation of this document, the Company and the publisher accept no responsibility for errors or omissions. The Company and the publisher accept no liability for loss or damages resulting from the use of the information contained herein. This document is not part of a contract or licence save insofar as may be expressly agreed. All capabilities and capacity and throughput figures are subject to note/coin size, note/coin quality and process used. GLORY is a registered trademark of GLORY LTD. in Japan, the United States of America, and EU. All trademarks are owned by the GLORY Limited Group of companies. © Glory Global Solutions (International) Limited 2017.